

## IP Address Configuration IDEXX Recommended Settings

<b>Document Purpose</b>	This document is presented to IDEXX customers to outline our standard IP addresses and IP ranges. This information can be used to assist in the configuration of computers and other devices within your network.
<b>Subnet</b>	192.168.0.0 <b>Note:</b> This is the IDEXX standard subnet, other subnets may be used. <b>Example:</b> 192.168.1.0
<b>Router</b>	192.168.0.1
<b>Server</b>	192.168.0.2 <b>Note:</b> Additional Servers on a domain can use 192.168.0.3–192.168.0.9
<b>Workstations (peer to peer)</b>	Use the workstation number plus 2 for the last octet of the IP address. <b>Example:</b> workstation1=192.168.0.3
<b>Workstations (domain)</b>	Obtain IP and DNS from DHCP. DNS must be the IP of the server.
<b>Digi One (Network Serial)</b>	192.168.0.16–192.168.0.19
<b>AnywhereUSB (Network USB)</b>	192.168.0.20–192.168.0.29
<b>Wireless Access Points</b>	192.168.0.30–192.168.0.39
<b>Print Servers</b>	192.168.0.40–192.168.0.69
<b>Managed Switches</b>	192.168.0.70–192.168.0.77
<b>Capture PC</b>	Primary–192.168.0.79 Secondary–192.168.0.78
<b>Lab Routers</b>	192.168.0.80–192.168.0.89
<b>DHCP Scope (domain)</b>	192.168.0.100–192.168.0.254

For further assistance, please call IDEXX Hardware Support at 1-800-695-2877.

