

Electrolyte disturbances

– an overview

Content is based on a short lecture by **Professor Stephen DiBartola, DVM Diplomate ACVIM (Internal Medicine)**, Ohio State University. Watch the full video with Prof. DiBartola on YouTube.

 IDEXX Laboratories Europe

Na Sodium

High ▲

Pure water loss - rare

Hypotonic water loss

- From the GI tract
- Third space redistribution
- Renal loss

Gain of inappropriate solute

Low ▼

Associated with hypervolaemia

- Severe liver disease
- Congestive heart failure
- Nephrotic syndrome

Associated with hypovolaemia

- Gastrointestinal loss
- Third space loss
- Hypoadrenocorticism

Associated with normovolaemia

- Psychogenic polydipsia
- Antidiuretic drugs
- Treatment with hypotonic drugs

K Potassium

High ▲

Increased intake: very rare

Decreased renal excretion

- Urethral obstruction
- Hypoadrenocorticism
- Certain drugs

Translocation from intracellular to extracellular space

- Insulin deficiency
- Acute tumour lysis

Low ▼

Decreased intake: very rare

Increased loss

- GI loss from vomit and/or diarrhoea
- Urinary loss
- Hyperaldosteronism

Translocation from extracellular to intracellular space

- Alkalaemia
- Insulin and glucose disturbances

Cl Chloride

! Notice normal Na:Cl ratio is 1,3:1

High ▲

Low ▼

Primary loss : Diarrhoea

Primary loss: Vomit of gastric content

Administration of large amounts of 0,9% saline

Certain diuretics such as furosemide

Chronic respiratory alkalosis
• Renal compensation

Chronic respiratory acidosis
• Renal compensation

Ca Calcium

High ▲

Low ▼

Dehydration

Hyperalbuminaemia

Secondary to malignancies

Renal failure

Hypoadrenocorticism

Ethylene glycol poisoning

Renal failure

Eclampsia

Hypervitaminosis D

Acute pancreatitis

Primary hyperparathyroidism

Primary hypoparathyroidism

P Phosphorus

High ▲

Low ▼

Translocation from intracellular to extracellular space
• Acute tumour lysis

Translocation from extracellular to intracellular space
• Treatment of diabetic ketoacidosis

Decreased renal secretion
• Acute and chronic renal failure
• Uroabdomen
• Urethral obstruction, hypoparathyroidism

Decreased intestinal absorption
• Malabsorptive disorders
• Vitamin D deficiency
• Treatment with phosphate binders

Increased intake: Vitamin D intoxication

Decreased renal reabsorption
• Primary hyperparathyroidism
• Tubular disorders such as Fanconi's syndrome

Young, growing animal